

*SPECIFIC BINDING OF THROMBO TRACE TO
SURFACE OF A CLOT AS SEEN BY AUTORADIOGRAPHY.*





FIG. 1

09463082.071000



ARTIFICIAL CIRCUIT

FIG. 2

*THE ACCUMULATION OF RADIOACTIVITY IN THE
INTRAMURAL CLOT IN AN ARTIFICIAL CIRCUIT*




FIG. 3

09463082.071000

*TRANSMISSION ELECTRON MICROGRAPHY OF NEGATIVELY
STAINED FIBRIN WITH THROMBO TRACE.*





FIG. 4

000140" 28059460

IMAGING OF CLOTS IN RABBIT EAR VEIN.*FIG. 5*

000720 280E9460

*IMAGING OF A CLOT IN RABBIT CAUSED BY
INTRAMUSCULAR INJECTION*




FIG. 6

000120" 280E9460

IMAGING OF A CLOT IN THE CAT FEMORAL VEIN.




FIG. 7

000740" 280E9460

*IMAGING OF A CLOT IN RABBIT PULMINARY
VASCULATURE.*




FIG. 8

000720 28029460

*AUTORADIOGRAPHY OF RABBIT LUNGS WITH
PULMINARY EMBOLI.*




FIG. 9

000720" 28069460

*LABELLING OF A SMALL TUMOUR ON THE EAR OF
A RABBIT*






FIG. 10

000T40"280E9460

FIG 11



000120"280E9460

*FIG. 12*

09463082 071000